

ENTRANCE

CORD • STREAM • BROSS

MEGATILES

CONTRACT

ENTRANCE

DOMESTIC

EXPO


CORD



CORD 452




CORD 453



CORD 451



CORD 338



CORD 181



CORD 443



CORD 441

STREAM



STREAM 467




STREAM 338



STREAM 464



STREAM 181



STREAM 451



STREAM 461


BROSS



BROSS 365




BROSS 338




BROSS 343



BROSS 181



BROSS 561



BROSS 443

BROSS




BROSS 551




BROSS 552



BROSS 607



BROSS 345



BROSS 638



BROSS 562

Entrance Matting. Tapis d'accueil. Eingangsmatten. Barriera antisporca.	Norm	CORD	STREAM	BROSS
Standard dimensions Dimensions standard Standard Abmessung Dimensioni standard		15 m x 200 cm	15 m x 200 cm	20 m x 200 cm
Construction Construction Konstruktion Struttura		Single layer fiber bonded Feutre aiguilleté homogène Nadelvlies-Beläge homogen aufgebaut Agugliato omogeneo		
Surface Surface Oberfläche Superficie		Rib structure Structure cordonnée Rippenstruktur Cannettato	Nop structure Structure en noppes Noppenstruktur Grana di riso	Velour structure Structure velour Velour Velluto
Pile surface Couche d'usage Material Nutzschicht Composizione felpa		100% PP	100% PP	100% PP
Backing Envers Rücken Dorso		Top quality rubber Caoutchou de qualité supérieure Hochwertige Gummibeschichtung Gomma di qualità		
Textile weight Poids du velour Fasereinsatzgewicht Peso della fibra		1.300 g-m2	1.300 g-m2	1.300 g-m2
Total weight Poids total Gesamtgewicht Peso totale	ISO 8543	3.000 g-m2	3.000 g-m2	3.000 g-m2
Total thickness Epaisseur totale Gesamtdicke Spessore totale	ISO 1765	10 mm	9,5 mm	12 mm
Loose laid installation Pose libre Lose Verlegung Posa libera		✓	✓	✓
Standard colors Coloris standard Standard Farben Colori standard		7	6	12

USE: designed for use in all entrances with direct street access, such as shops, hotels, banks, offices and showrooms.

UTILISATION: conçues pour toutes entrées avec accès direct à l'extérieur pour magasins, hotels, banques, bureaux ou showrooms.

VERWENDUNG: für alle Eingangsbereiche mit direktem Strassenzugang für Läden, Hotels, Bürogebäude und Showrooms besonders geeignet.

UTILIZZO: ideato per l'utilizzo in tutte le entrate con accesso diretto su strada, negozi, hotels, banche, uffici e showrooms.

VIGANÒ PAVITEX S.P.A.

Via Carlinga, 35 • 24035 Curno • ITALY
TEL. +39 035 201711 • FAX +39 035 201740
e-mail: carpet@pavitex.com • www.pavitex.com

Revisione 07/2020